

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Cagrilintide / Semaglutide - 10mg

Tested for: Peptides Optimized

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: JRJ5QGZ2

COA #: COA-2026-YNQMFJ
Lot Number: CS10-L01
Labeled Content: 10mg
Volume: 3mL

Analysis Date: 09/24/2026
Appearance: Good
Volume: 3mL
Date Received: 09/22/2026

Method: Blend Purity, Identity & Quantitation (HPLC)

Identity

Cagrilintide / Semaglutide

Peptide Purity

99.91%




Blend Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.91%	%	PASS
Net Blend Peptide Content	Report Only	10.56	mg	N/A
Identity (HPLC-RTM)	Cagrilintide; Semaglutide (GLP-1)	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



Cagrilintide / Semaglutide 10mg - CS10-L01

HPLC Chromatogram



Cagrilintide / Semaglutide 10mg - CS10-L01: UV Chromatogram

Notes & Methodology

- Date Tested: 09/24/2026. Methods: Blend Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be Cagrilintide / Semaglutide by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Issued by ILS Laboratories

(619) 329-3999

ils-lab.com



Dr. Greg Kalyuzhny

Lab Director

09/24/2026

COA #: COA-2026-YNQMFJ

Access Code: JRJ5QGZ2

Verify: portal.ils-lab.com

Issued: 09/24/2026