

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Retatrutide - 60mg

Tested for: Peptides Optimized

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: VX8W52NE

COA #: COA-2026-RPN6W1

Lot Number: RT60-J19

Labeled Content: 60mg

Volume: 3mL

Analysis Date: 09/21/2026

Appearance: Good

Volume: 3mL

Date Received: 09/16/2026

Method: Purity, Identity & Quantitation (HPLC)

Identity

Retatrutide

Peptide Purity

99.45%




Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.45%	%	PASS
Net Peptide Content	Report Only	64.02	mg	N/A
Identity (HPLC-RTM)	Retatrutide	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



Retatrutide 60mg - RT60-J19

HPLC Chromatogram



Retatrutide 60mg - RT60-J19: UV Chromatogram

Notes & Methodology

- Date Tested: 09/21/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be Retatrutide by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Issued by ILS Laboratories

(619) 329-3999

ils-lab.com



Dr. Greg Kalyuzhny

Lab Director

09/21/2026

COA #: COA-2026-RPN6W1

Access Code: VX8W52NE

Verify: portal.ils-lab.com

Issued: 09/21/2026