



Certificate of Analysis

Date: 10/13/2026 Date Tested: 9/26/2026
Customer: Peptides Optimized LLC Testing material: KLOW
Batch #: KLOW80-P04 BT Sample ID: 005764606173329
Labeled Peptide 50 mg + 10 mg + 10 mg + 10 Storage: 2-8°C
Content/Potency: mg
Visual Description: Small clear vial: blue lyophilized powder, hexagon-pattern label, silver crimp, pink flip-off cap.
Labeled as: KLOW Manufacturer: N/A
Testing Purpose: HPLC and LC-MS analysis for the identification, purity and potency of each peptide in this multi-peptide product. It additionally reports elemental impurities (heavy metals), bacterial endotoxins and sterility as recorded in this certificate.



Test	Method	Specification	Result	Status
General Appearance	Visual	Blue to blue-violet powder	blue powder	PASS
GHK-Cu — HPLC Purity	USP <621>	NLT 98.0 % (area normalisation)	99.66 %	PASS
GHK-Cu — HPLC Potency	USP <621>	90.0 – 110.0 % of 50 mg	50.27 mg (100.5 %)	PASS
GHK-Cu — Identity (LC-MS)	LC-MS (ESI)	Observed mass within 1 Da of theoretical	Conforms	PASS
BPC-157 — HPLC Purity	USP <621>	NLT 98.0 % (area normalisation)	99.66 %	PASS
BPC-157 — HPLC Potency	USP <621>	90.0 – 110.0 % of 10 mg	10.05 mg (100.5 %)	PASS
BPC-157 — Identity (LC-MS)	LC-MS (ESI)	Observed mass within 1 Da of theoretical	Conforms	PASS
TB-500 — HPLC Purity	USP <621>	NLT 98.0 % (area normalisation)	99.66 %	PASS
TB-500 — HPLC Potency	USP <621>	90.0 – 110.0 % of 10 mg	10.05 mg (100.5 %)	PASS
TB-500 — Identity (LC-MS)	LC-MS (ESI)	Observed mass within 1 Da of theoretical	Conforms	PASS
KPV — HPLC Purity	USP <621>	NLT 98.0 % (area normalisation)	99.66 %	PASS
KPV — HPLC Potency	USP <621>	90.0 – 110.0 % of 10 mg	10.05 mg (100.5 %)	PASS
KPV — Identity (LC-MS)	LC-MS (ESI)	Observed mass within 1 Da of theoretical	Conforms	PASS
Heavy Metals (Elemental Impurities)	USP <233> (ICP-MS)	Class 1 (Pb, Cd, As, Hg): NMT USP <232>/ICH Q3D limits	Complies (< LOQ)	PASS

Kenji Sato, AS
Laboratory Director

Min-Jun Park, AS
QA Approver

GB-QSA-TR-001

Rev 1.0 July 2026

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Genesis Biolabs | 255 S Orange Avenue, Suite 104, Orlando, FL 32801 | contact@genesisbiolabs.org | www.genesisbiolabs.org

COA # 7022413

ACCESS CODE 4CN44CJXAHLEW

VERIFY AT www.genesisbiolabs.org/verify

This certificate relates only to the item(s) tested. Results shall not be reproduced or stated in full without the written approval of the laboratory.




Certificate of Analysis

Product: KLOW **Batch #:** KLOW80-P04 **Content:** 50 mg + 10 mg + 10 mg + 10 mg **Tested:** 9/26/2026

HPLC Purity Chromatogram @ 220 nm: KLOW Lot KLOW80-P04

Sample Name: KLOW 50 mg + 10 mg + 10 mg + 10 mg
Sample ID / Lot: KLOW80-P04
Method: PEP_TFA_220_GRAD.M
Column: Kinetex EVO C18, 4.6 x 100 mm, 2.6 um
Signal: VWD1 A, 220 nm
Mobile Phase: A 0.1% TFA/H₂O, B 0.1% TFA/MeCN (gradient)

Injection Volume: 10.0 uL
Acquired: 9/26/2026 08:50
Vial: 6 **Injection:** 1
Operator: K. Sato
Flow: 1.2 mL/min **Column Temp:** 30 C
System: HPLC-02



Peak Results - USP <621>, area %

Pk	RT (min)	Area (mAU*s)	Height (mAU)	Area %	USP Res.	USP Tailing	USP Plates
1	4.78	7	0.8	0.08	-	-	-
2	4.84	4	0.5	0.05	-	-	-
3	5.01	8,840	1,451	99.66	0.90	1.20	15,198
4	5.60	9	0.7	0.10	-	-	-
5	5.70	11	1.3	0.12	-	-	-
Total		8,870		100.00			

OpenLab CDS | Processing method: USP_PURITY_AREAPCT | Result: main peak 99.7 % (area) | Page 1 of 1



Certificate of Analysis

Product: KLOW **Batch #:** KLOW80-P04 **Content:** 50 mg + 10 mg + 10 mg + 10 mg **Tested:** 9/26/2026

Heavy Metals Analysis (ICP-MS, USP <233>)

Element	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS

Elemental impurities determined by ICP-MS. Limits are laboratory screening limits for research-use material, derived from ICH Q3D permitted daily exposures for the parenteral route.

Test	Method	Specification	Result	Status
Bacterial Endotoxins Test	USP <85>	NMT 40 EU/vial reconstituted	PASS	PASS

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Bacterial Endotoxins Test KLOW Lot KLOW80-P04

Sample ID	Description	Volume (mL)	Endotoxin Limit (EU/vial)	Lysate Sensitivity (λ , EU/mL)	Result
KLOW80-P04	KLOW	3	40 EU/vial	0.25	0.08 EU/vial

The sample passed a valid gel clot endotoxin test based on the type, mode of administration and dosage.

Sterility Test

Test	Method	Specification	Result	Status
Sterility	USP <71> (membrane filtration)	No microbial growth	PASS	PASS

Medium	Incubation Temp.	Duration	Units Tested	Observation
Fluid Thioglycollate Medium (FTM)	30 – 35 °C	14 days	2	No growth
Soybean–Casein Digest Medium (SCDM)	20 – 25 °C	14 days	2	No growth

No microbial growth was observed. The sample meets the requirements of the sterility test (USP <71>).

Certificate of Analysis

Product: KLOW **Batch #:** KLOW80-P04 **Content:** 50 mg + 10 mg + 10 mg + 10 mg **Tested:** 9/26/2026

Notes & Methodology

1. Peptide purity determined by RP-HPLC area normalisation at 220 nm. The value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, where detected, are excluded from the calculation.
2. Net peptide content (potency) calculated as assay content corrected for water (Karl Fischer) and counterion content, expressed as a percentage of the labelled claim.
3. Identity confirmed by FTIR against a reference standard (USP <197A>) and by chromatographic retention time comparison.
4. Elemental impurities screened by ICP-MS per USP <233> methodology. Acceptance criteria are laboratory screening limits for research-use material and do not constitute evaluation against a specific pharmacopoeial monograph.
5. Bacterial endotoxins determined by gel-clot method per USP <85>. Sterility per USP <71>.
6. The chromatogram reproduced in this certificate is representative of the batch tested.