

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

MOTS-C - 20mg

Tested for: Peptides Optimized

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: QDLJ8QM2

COA #: COA-2026-QQVBGG
Lot Number: MS20-L01
Labeled Content: 20mg
Volume: 3mL

Analysis Date: 09/24/2026
Appearance: Good
Volume: 3mL
Date Received: 09/22/2026

Method: Purity, Identity & Quantitation (HPLC)

Identity
MOTS-C

Peptide Purity
99.78%




Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.78%	%	PASS
Net Peptide Content	Report Only	21.1	mg	N/A
Identity (HPLC-RTM)	MOTS-c	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



MOTS-C 20mg - MS20-L01

HPLC Chromatogram



MOTS-C 20mg - MS20-L01: UV Chromatogram

Notes & Methodology

- Date Tested: 09/24/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be MOTS-C by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Issued by ILS Laboratories
(619) 329-3999
ils-lab.com



Dr. Greg Kalyuzhny
Lab Director
09/24/2026

COA #: COA-2026-QQVBGG
Access Code: QDLJ8QM2
Verify: portal.ils-lab.com
Issued: 09/24/2026